

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 301P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
2 5 0 G P M	40	92	3000	3-481-10
	45	104	3000	3-481-10
	50	115	3000	3-481-10
	52	120	3000	2.5-481-10B
	55	127	3000	2.5-481-10B
			3000	3-481-10
	60	139	3000	2.5-481-10B
			3000	3-481-10
	65	150	3000	2.5-481-10B
			3000	3-481-10
	70	162	3000	2.5-481-10B
			3000	3-481-10
	75	173	3000	2.5-481-10B
			3000	3-481-10
	80	185	3000	2.5-481-10B
			3000	3-481-10
	85	196	3000	2.5-481-10B
			3000	3-481-10
	90	208	3000	2.5-481-10B
			3000	3-481-10
	95	219	3000	2.5-481-10B
3000			3-481-10	
100	231	3000	2.5-481-10B	
		3000	3-481-10	
105	242	3000	2.5-481-10B	
		3000	3-481-10	
110	254	3000	2.5-481-10B	
115	265	3000	2.5-481-10B	
		3000	3-481-10	
120	277	3000	3-481-10	
121	279	3000	3-481-10	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 302P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
400 GPM	67	155	2100	5-481-15A
	70	162	2100	5-481-15A
	75	173	2100	5-481-15A
	77	178	2250	5-481-15A
	80	185	2100	5-481-15A
			2250	5-481-15A
	84	194	2350	5-481-15A
	85	196	2100	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
	90	208	2100	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
	95	219	2100	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
	100	231	2100	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
	103	238	2100	5-481-15
	105	243	2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
	108	249	2600	5-481-15A
			2800	5-481-15A
			2100	5-481-15
			2100	5-481-15
	110	254	2250	5-481-15A
			2350	5-481-15A
2600			5-481-15A	
2800			5-481-15A	
2100			5-481-15A	
115	266	2100	5-481-15	
		2250	5-481-15A	
		2350	5-481-15A	
		2600	5-481-15A	
		2800	5-481-15A	
120	277	2100	5-481-15A	
		2100	5-481-15	
		2250	5-481-15A	
		2350	5-481-15A	
		2600	5-481-15A	
125	289	2800	5-481-15A	
		2100	5-481-15A	
		2100	5-481-15	
		2250	5-481-15A	
		2350	5-481-15A	
		2600	5-481-15A	
125	289	2800	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
		3000	5-481-15A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 303P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
400 GPM	130	300	2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
	132	305	3000	5-481-15A
			2100	5-481-15A
	135	312	2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
	140	323	3000	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
	142	328	2800	5-481-15A
			3000	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
	145	335	2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			2250	5-481-15A
	150	347	2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	155	358	2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
	160	370	3000	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
	165	381	3000	5-481-15A
2350			5-481-15A	
2600			5-481-15A	
2800			5-481-15A	
168	388	2350	5-481-15A	
170	393	2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
175	404	2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
180	416	2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
185	427	2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 304P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
4 0 0 G P M	190	439	2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	195	450	2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	200	462	2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	205	474	2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	210	485	2800	5-481-15A
			3000	5-481-15A
			2800	5-481-15A
	215	497	2800	5-481-15A
			3000	5-481-15A
			2800	5-481-15A
	220	508	2800	5-481-15A
			3000	5-481-15A
			2800	5-481-15A
	225	520	3000	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
230	531	2800	5-481-15A	
		3000	5-481-15A	
		2800	5-481-15A	
235	543	3000	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
240	554	2800	5-481-15A	
		3000	5-481-15A	
		3000	5-481-15A	
245	566	3000	5-481-15A	
250	578	3000	5-481-15A	
255	589	3000	5-481-15A	
260	601	3000	5-481-15A	
265	612	3000	5-481-15A	
270	624	3000	5-481-15A	
275	635	3000	5-481-15A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 305P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
4 5 0 G P M	66	152	2100	5-481-15A
	70	162	2100	5-481-15A
	75	173	2100	5-481-15A
	76	176	2250	5-481-15A
	80	185	2100	5-481-15A
			2250	5-481-15A
	83	192	2350	5-481-15A
	85	196	2100	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
	90	208	2100	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
	95	219	2100	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
	100	231	2100	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
	103	238	2100	5-481-15
	105	243	2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
	108	249	2600	5-481-15A
			2800	5-481-15A
			2100	5-481-15A
	110	254	2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
	115	266	2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
	120	277	2800	5-481-15A
			2100	5-481-15A
			2100	5-481-15
2250			5-481-15A	
2350			5-481-15A	
124	286	2600	5-481-15A	
		2800	5-481-15A	
		2100	5-481-15A	
		2100	5-481-15	
		2250	5-481-15A	
125	289	2350	5-481-15A	
		2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
		2100	5-481-15A	
130	300	2100	5-481-15	
		2100	5-481-15	
		2250	5-481-15A	
		2350	5-481-15A	
		2600	5-481-15A	
		2800	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 306P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
4 5 0 G P M	132	305	2100	5-481-15A
	135	312	2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	140	323	2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
	142	328	2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
	145	335	2800	5-481-15A
			3000	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
	150	347	2800	5-481-15A
			3000	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
	153	353	2250	5-481-15A
	155	358	2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	160	370	2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	165	381	2350	5-481-15A
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	170	393	2350	5-481-15A
2600			5-481-15A	
2800			5-481-15A	
3000			5-481-15A	
175	404	2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
180	416	2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
185	427	2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
190	439	2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
195	450	2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 307P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
4 5 0 G P M	200	462	2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	205	474	2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	210	485	2800	5-481-15A
			3000	5-481-15A
	215	497	2800	5-481-15A
			3000	5-481-15A
	220	508	2800	5-481-15A
			3000	5-481-15A
	225	520	2800	5-481-15A
			3000	5-481-15A
	230	531	2800	5-481-15A
			3000	5-481-15A
	235	543	2800	5-481-15A
			3000	5-481-15A
	240	554	2800	5-481-15A
			3000	5-481-15A
245	566	3000	5-481-15A	
250	578	3000	5-481-15A	
255	589	3000	5-481-15A	
260	601	3000	5-481-15A	
265	612	3000	5-481-15A	
270	624	3000	5-481-15A	
275	635	3000	5-481-15A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 308P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
500 GPM	40	92	1760	4-481-11A
	45	104	1760	4-481-11A
	50	115	1760	4-481-11A
	52	120	1760	4-481-11A
	55	127	1760	4-481-11A
			3000	4-481-11C
	60	139	1760	4-481-15
			3000	4-481-11C
	63	146	3000	4-481-11D
	65	150	1760	4-481-15
			2100	5-481-15A
			3000	4-481-11D
	68	157	1470	5-485-15
	70	162	1470	5-485-15
			1760	4-481-15
			2100	5-481-15A
			3000	4-481-11D
	75	173	1470	5-485-15
			1760	4-481-15
			2100	5-481-15A
			2250	5-481-15A
			3000	4-481-11D
	80	185	1470	5-485-15
			1760	4-481-15
			1760	4-492-18
			2100	5-481-15A
			2250	5-481-15A
			3000	4-481-11D
	81	187	2350	5-481-15A
	85	196	1470	5-485-15
			1760	4-492-18
			2100	5-481-15A
2250			5-481-15A	
2350			5-481-15A	
90	208	3000	4-481-11D	
		1470	5-485-15	
		1760	4-492-18	
		2100	5-481-15A	
		2250	5-481-15A	
95	219	2350	5-481-15A	
		2350	5-481-15A	
		3000	4-481-11D	
		1470	5-485-15	
		1760	4-492-18	
97	224	2600	6-491-12A	
100	231	1470	5-485-15	
		1760	4-492-18	
		2100	5-481-15A	
		2250	5-481-15A	
		2350	5-481-15A	
		2600	6-491-12A	
103	238	3000	4-481-11D	
		2100	5-481-15	
104	240	2600	5-481-15A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 309P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
500 GPM	105	242	1470	5-485-15
			1760	4-492-18
			2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
			2600	6-491-12A
	3000	4-481-11D		
	107	247	2800	5-481-15A
	110	254	1470	5-485-15
			1760	4-492-18
			2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
			2600	6-491-12A
	2800	5-481-15A		
	3000	4-481-11D		
	115	265	1470	5-485-15
			1760	4-492-18
			2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2600	5-481-15A
			2600	6-491-12A
	2800	5-481-15A		
	3000	4-481-11D		
	120	277	1470	5-485-15
			1760	4-492-18
			2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2250	5-481-15
			2350	5-481-15A
			2600	5-481-15A
	2600	6-491-12A		
	2800	5-481-15A		
3000	4-481-11D			
123	284	3000	5-481-15A	
125	289	1470	5-485-15	
		1760	4-492-18	
		2100	5-481-15A	
		2100	5-481-15	
		2250	5-481-15A	
		2250	5-481-15	
		2350	5-481-15A	
		2600	5-481-15A	
		2600	6-491-12A	
		2800	5-481-15A	
		3000	5-481-15A	
		3000	4-481-11D	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 310P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven						
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model		
	PSI	TDH				
500 GPM	130	300	1470	5-485-15		
			2100	5-481-15A		
			2100	5-481-15		
			2250	5-481-15A		
			2250	5-481-15		
			2350	5-481-15A		
			2350	5-481-15		
			2600	5-481-15A		
			2600	6-491-12A		
			2800	5-481-15A		
			3000	5-481-15A		
			3000	4-481-11D		
	131	303	2100	5-481-15A		
	132	305	1470	5-485-15		
	135	312	1470	5-485-15		
			2100	5-481-15		
			2250	5-481-15A		
			2250	5-481-15		
			2350	5-481-15A		
			2350	5-481-15		
			2600	5-481-15A		
			2600	6-491-12A		
			2800	5-481-15A		
			3000	5-481-15A		
			3000	4-481-11D		
			138	319	3000	4-481-11D
	140	323	2100	5-481-15		
			2250	5-481-15A		
			2250	5-481-15		
			2350	5-481-15A		
			2350	5-481-15		
			2600	5-481-15A		
			2600	6-491-12A		
			2800	5-481-15A		
			3000	5-481-15A		
			142	328	2100	5-481-15
			145	335	2250	5-481-15A
					2250	5-481-15
	2350	5-481-15A				
	2350	5-481-15				
	2600	5-481-15A				
	2800	5-481-15A				
3000	5-481-15A					
148	342	2800	6-491-12A			
150	347	1760	4-485-15			
		2250	5-481-15A			
		2250	5-481-15			
		2350	5-481-15A			
		2350	5-481-15			
		2600	5-481-15A			
		2800	5-481-15A			
		2800	6-491-12A			
3000	5-481-15A					
152	351	2250	5-481-15A			
155	358	1760	4-485-15			
		2250	5-481-15			
		2350	5-481-15A			
		2350	5-481-15			
		2600	5-481-15A			
		2800	6-491-12A			
		2800	5-481-15A			
3000	5-481-15A					



AURORA®

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 311P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
500 GPM	157	363	3000	6-491-12A
	160	369	1760	4-485-15
			2250	5-481-15
			2350	5-481-15A
			2350	5-481-15
			2600	5-481-15A
			2800	5-481-15A
			2800	6-491-12A
			3000	5-481-15A
	3000	6-491-12A		
	164	379	2800	6-491-12A
	165	381	1760	4-485-15
			2350	5-481-15A
			2350	5-481-15
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	6-491-12A
	168	388	2350	5-481-15A
	170	392	1760	4-485-15
			2350	5-481-15
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	3000	6-491-12A		
	174	402	2350	5-481-15
	175	404	1760	4-485-15
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	6-491-12A
	180	415	1760	4-485-15
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	6-491-12A
	185	427	1760	4-485-15
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
3000			6-491-12A	
190	439	1760	4-485-15	
		2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
		3000	6-491-12A	
195	450	1760	4-485-15	
		2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
200	462	1760	4-485-15	
		2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
		3000	5-485-12	
205	473	1760	4-485-15	
		2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
		3000	5-485-12	



AURORA®

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 312P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
5 0 0 G P M	210	485	1760	4-485-15
			2800	5-481-15A
			3000	5-481-15A
			3000	5-485-12
	215	497	2350	6-485-16
			2800	5-481-15A
			3000	5-481-15A
			3000	5-485-12
	220	508	2350	6-485-16
			2800	5-481-15A
			3000	5-481-15A
	225	520	2350	6-485-16
			2800	5-481-15A
			3000	5-481-15A
			3000	5-485-12
	230	531	2350	6-485-16
			2800	5-481-15A
			3000	5-481-15A
	235	543	2350	6-485-16
			2800	5-481-15A
			3000	5-481-15A
			3000	5-485-12
	238	550	2800	5-481-15A
	240	554	2350	6-485-16
			3000	5-481-15A
	245	566	2350	6-485-16
			3000	5-481-15A
			3000	5-485-12
	250	578	2350	6-485-16
			3000	5-481-15A
	255	589	2350	6-485-16
			3000	5-481-15A
			3000	5-485-12
	260	601	2350	6-485-16
3000			5-481-15A	
3000			5-485-12	
265	612	2350	6-485-16	
		3000	5-481-15A	
		3000	5-485-12	
270	624	2350	6-485-16	
		3000	5-481-15A	
275	635	2350	6-485-16	
		3000	5-481-15A	
		3000	5-485-12	
280	647	2350	6-485-16	
285	658	2350	6-485-16	
		3000	5-485-12	
290	670	2350	6-485-16	
295	681	2350	6-485-16	
		3000	5-485-12	
300	693	2350	6-485-16	
		3000	5-485-12	
305	704	2350	6-485-16	
		3000	5-485-12	
310	716	2350	6-485-16	
		3000	5-485-12	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 313P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
5 0 0 G P M	315	728	2350	6-485-16
			3000	5-485-12
	320	739	2350	6-485-16
			3000	5-485-12
	325	751	2350	6-485-16
			3000	5-485-12
	330	762	2350	6-485-16
	335	774	2350	6-485-16
	340	785	2350	6-485-16
	345	797	2350	6-485-16
	350	809	2350	6-485-16
	355	820	2350	6-485-16
	360	832	2350	6-485-16
	365	843	2350	6-485-16
	370	855	2350	6-485-16
	375	866	2350	6-485-16
	380	878	2350	6-485-16
	385	889	2350	6-485-16
388	897	2350	6-485-16	
395	912	2350	6-485-16	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 314P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
750 GPM	40	92	1760	4-481-11A
	45	104	1760	4-481-11A
	47	109	1760	4-481-11A
	50	115	1760	4-481-11A
			1760	5-481-15
	55	127	1760	4-491-14C
			1760	5-481-15
	58	134	2100	5-481-15A
			1760	4-491-14C
	60	139	1760	5-481-15
			2100	5-481-15A
			2100	4-491-14C
			1760	4-491-14C
	65	150	1760	5-481-15
			2100	5-481-15A
			2100	4-491-14C
	67	155	3000	4-491-8A
	68	157	2250	5-481-15A
	70	162	1760	4-491-14C
			1760	5-481-15
			2100	5-481-15A
			2100	4-491-14C
			2250	5-481-15A
			3000	4-491-8A
	71	164	1760	4-481-15
	73	169	2350	4-491-14C
	74	171	2350	5-481-15A
	75	173	1760	4-481-15
			1760	4-491-14C
			2100	4-491-14C
			2100	5-481-15A
2250			5-481-15A	
2350			5-481-15A	
2350			4-491-14C	
80	185	1470	6-485-17A	
		1760	4-481-15	
		1760	4-491-14C	
		2100	4-491-14C	
		2100	5-481-15A	
		2250	5-481-15A	
		2350	5-481-15A	
85	196	2350	4-491-14C	
		1470	6-485-17A	
		1760	4-481-15	
		1760	4-491-14C	
		2100	4-491-14C	
		2100	5-481-15A	
		2250	5-481-15A	
90	208	2350	5-481-15A	
		2350	4-491-14C	
		1470	6-485-17A	
		1760	4-481-15	
		1760	4-491-14C	
		1760	5-491-18A	
		2100	4-491-14C	
91	210	2100	5-481-15A	
		2250	5-481-15A	
		2350	5-481-15A	
		2350	4-491-14C	
		1760	4-492-18	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 315P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
7 5 0 G P M	94	217	2100	5-491-18A
	95	219	1470	6-485-17A
			1760	4-481-15
			1760	4-492-18
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-18A
			2100	5-481-15A
			2250	5-481-15A
			2350	5-481-15A
			2350	4-491-14C
	96	222	3000	4-491-11A
	97	224	2600	5-481-15A
	100	231	1470	6-485-17A
			1760	4-492-18
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-18A
			2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2350	4-491-14C
			2600	5-481-15A
			3000	4-491-11A
			101	233
	105	243	1470	6-485-17A
			1760	4-492-18
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-18A
			2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2350	4-491-14C
			2600	5-481-15A
			2800	5-481-15A
			3000	4-491-11A
			3000	5-481-11C
	110	254	1470	6-485-17A
			1760	4-492-18
1760			5-491-18A	
2100			4-491-14C	
2100			5-491-18A	
2100			5-481-15A	
2100			5-481-15	
2250			5-481-15A	
2350			5-481-15A	
2350			4-491-14C	
2600			5-481-15A	
2800			5-481-15A	
3000			4-491-11A	
3000	5-481-11C			
113	261	2350	5-491-18A	



AURORA®

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 316P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
7 5 0 G P M	115	265	1470	6-485-17A
			1760	4-492-18
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-18A
			2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2350	5-481-15A
			2350	4-491-14C
			2350	5-491-18A
			2600	5-481-15A
			2800	5-481-15A
			3000	4-491-11A
	3000	5-481-11C		
	118	273	2250	5-481-15
			3000	5-481-15A
	119	275	1760	4-492-18
	120	277	1470	6-485-17A
			1760	4-492-18
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-18A
			2100	5-481-15A
			2100	5-481-15
			2250	5-481-15A
			2250	5-481-15
			2350	5-481-15A
			2350	4-491-14C
			2350	5-491-18A
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	4-491-11A
			3000	5-481-11C
			124	286
	125	289	1470	6-485-17A
			1760	4-492-18
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-18A
			2100	5-481-15
2250			5-481-15A	
2250			5-481-15	
2350			5-481-15A	
2350			4-491-14C	
2350			5-491-18A	
2600			5-481-15A	
2800			5-481-15A	
3000			5-481-15A	
3000			4-491-11A	
3000			5-481-11C	
128	296	3000	4-491-11C	
129	298	2350	5-481-15	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 317P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
7 5 0 G P M	130	300	1470	6-485-17A
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-18A
			2100	5-481-15
			2250	5-481-15A
			2250	5-481-15
			2350	5-481-15A
			2350	5-481-15
			2350	5-491-18A
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	4-491-11A
	3000	4-491-11C		
	3000	5-481-11C		
	132	305	2800	6-491-12A
	135	312	1470	6-485-17A
			1760	5-491-18A
			2100	5-491-18A
			2350	4-491-14C
			2350	5-491-18A
			2100	5-481-15
			2250	5-481-15A
			2250	5-481-15
			2350	5-481-15A
			2350	5-481-15
			2600	5-481-15A
			2800	6-491-12A
			2800	5-481-15A
			3000	5-481-15A
	3000	4-491-11A		
	3000	4-491-11C		
	3000	5-481-11C		
	138	319	2100	5-481-15
	139	319	3000	4-491-11C
	140	323	1470	6-485-17A
			1760	5-491-18A
			1760	6-485-17A
			2100	5-491-18A
			2250	5-481-15A
			2250	5-481-15
			2350	4-491-14C
			2350	5-491-18A
2350			5-481-15A	
2350			5-481-15	
2600			5-481-15A	
2800			5-481-15A	
3000			5-481-15A	
2800			6-491-12A	
3000	4-491-11A			
3000	4-491-11C			
3000	5-481-11C			
141	326	1760	5-491-18A	
142	328	1760	5-491-18A	
		3000	6-491-12A	
143	330	1760	5-491-18A	
144	333	2250	5-481-15A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 318P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven					
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model	
	PSI	TDH			
7 5 0 G P M	145	335	1470	6-485-17A	
			1760	6-485-17A	
			2100	5-491-18A	
			2250	5-481-15	
			2350	4-491-14C	
			2350	5-491-18A	
			2350	5-481-15A	
			2350	5-481-15	
			2600	5-481-15A	
			2800	5-481-15A	
			3000	5-481-15A	
			2800	6-491-12A	
			3000	4-491-11A	
			3000	5-481-11C	
			3000	6-491-12A	
	148	342	2800	6-491-12A	
	149	344	2800	6-491-12A	
	150	347	1470	6-485-17A	
			1760	6-485-17A	
			2100	5-491-18A	
			2250	5-481-15	
			2350	5-481-15A	
			2350	5-481-15	
			2350	4-491-14C	
			2350	5-491-18A	
			2600	5-481-15A	
			2800	5-481-15A	
			3000	5-481-15A	
			3000	4-491-11A	
			3000	5-481-11C	
			3000	6-491-12A	
			155	358	1470
	1760	6-485-17A			
	2100	5-491-18A			
	2250	5-481-15			
	2350	5-481-15A			
	2350	5-481-15			
	2350	4-491-14C			
	2350	5-491-18A			
	2600	5-481-15A			
	2800	5-481-15A			
	3000	5-481-15A			
3000	6-491-12A				
159	367	2350			5-481-15A
160	370	1470			6-485-17A
		1760			6-485-17A
		2100	5-491-18A		
		2250	5-481-15		
		2350	5-481-15		
		2350	4-491-14C		
		2350	5-491-18A		
		2600	5-481-15A		
		2800	5-481-15A		
		3000	5-481-15A		
		2800	5-481-15A		
		3000	5-481-15A		
		3000	6-491-12A		
		161	372	2250	5-481-15

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 319P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
750 GPM	165	381	1470	6-485-17A
			1760	6-485-17A
			2100	5-491-18A
			2350	5-491-18A
			2350	5-481-15
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
	170	392	3000	6-491-12A
			1470	6-485-17A
			1760	6-485-17A
			2100	5-491-18A
			2350	5-481-15
			2350	5-491-18A
			2600	5-481-15A
			2800	5-481-15A
	175	404	3000	5-481-15A
			3000	6-491-12A
			1760	6-485-17A
			2100	5-491-18A
			2350	5-491-18A
			2350	5-481-15
			2600	5-481-15A
			2800	5-481-15A
	176	407	3000	5-481-15A
			3000	6-491-12A
	180	416	2350	5-481-15
			1760	6-485-17A
			2100	5-491-18A
			2350	5-491-18A
			2600	5-481-15A
			2800	5-481-15A
	185	427	3000	5-481-15A
			3000	6-491-12A
			1760	6-485-17A
			2100	5-491-18A
			2350	5-491-18A
			2600	5-481-15A
	190	439	2800	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	6-491-12A
1760			6-485-17A	
2100			5-491-18A	
193	445	2350	5-491-18A	
		2600	5-481-15A	
195	450	2600	6-485-12	
		1760	6-485-17A	
		2100	5-491-18A	
		2350	5-491-18A	
		2600	6-485-12	
		2600	5-481-15A	
		2800	5-481-15A	
200	462	3000	5-481-15A	
		1760	6-485-17A	
		2100	5-491-18A	
		2350	5-491-18A	
		2600	6-485-12	
		2800	5-481-15A	
		3000	5-481-15A	
		3000	6-491-12A	



AURORA®

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 320P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
7 5 0 G P M	205	474	1760	6-485-17A
			2350	5-491-18A
			2600	6-485-12
			2800	5-481-15A
			3000	5-481-15A
	206	476	2350	6-485-16
	208	476	3000	6-485-12
	209	483	2250	6-485-16B
	210	485	1760	6-485-17A
			2250	6-485-16B
			2350	5-491-18A
			2350	6-485-16
			2600	6-485-12
			2800	5-481-15A
			3000	5-481-15A
	212	490	3000	6-485-12
	215	497	2100	6-485-16B
			2250	6-485-16B
			2350	5-491-18A
			2350	6-485-16
			2600	6-485-12
			2800	5-481-15A
			3000	5-481-15A
			3000	6-485-12
			220	508
	2100	6-485-16B		
	2250	6-485-16B		
	2350	5-491-18A		
	2350	6-485-16		
	2600	6-485-12		
2800	5-481-15A			
3000	5-481-15A			
3000	6-485-12			
225	520	1760	6-485-17A	
		2100	6-485-16B	
		2250	6-485-16B	
		2350	5-491-18A	
		2350	6-485-16	
		2600	6-485-12	
		2800	5-481-15A	
		3000	5-481-15A	
229	529	3000	6-485-12	
230	531	2350	6-485-16B	
		1760	6-485-17A	
		2100	6-485-16B	
		2250	6-485-16B	
		2350	5-491-18A	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-12	
		2800	5-481-15A	
3000	5-481-15A			
3000	6-485-12			

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 321P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
750 GPM	235	543	1760	6-485-17A
			2100	6-485-16B
			2250	6-485-16B
			2350	5-491-18A
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-12
			3000	5-481-15A
	240	554	1760	6-485-17A
			2100	6-485-16B
			2250	6-485-16B
			2350	5-491-18A
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-12
	244	564	2350	5-491-18A
	245	565	1760	6-485-17A
			2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-12
	248	573	3000	5-481-15A
	250	577	2600	6-485-12
			2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
	255	588	3000	5-481-15A
			3000	6-485-12
			2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
	260	600	3000	5-481-15A
			3000	6-485-12
			2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
	265	611	3000	5-481-15A
			3000	6-485-12
2100			6-485-16B	
2250			6-485-16B	
2350			6-485-16	
2350			6-485-16B	
270	623	3000	5-481-15A	
		3000	6-485-12	
		2100	6-485-16B	
		2250	6-485-16B	
		2350	6-485-16	
275	634	2350	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2100	6-485-16B	
		2250	6-485-16B	
		3000	6-485-12	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 322P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
7 5 0 G P M	280	646	2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			3000	6-485-12
	285	657	2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			3000	6-485-12
	290	669	2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			3000	6-485-12
	294	678	2100	6-485-16B
	295	681	2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			3000	6-485-12
			2250	6-485-16B
	300	692	2350	6-485-16
			2350	6-485-16B
			3000	6-485-12
			2250	6-485-16B
			2350	6-485-16
	305	704	2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			3000	6-485-12
			2250	6-485-16B
	310	715	2350	6-485-16
			2350	6-485-16B
			3000	6-485-12
2250			6-485-16B	
2350			6-485-16	
315	727	2350	6-485-16	
		2350	6-485-16B	
		3000	6-485-12	
		2250	6-485-16B	
		2350	6-485-16	
320	738	2350	6-485-16	
		2350	6-485-16B	
		3000	6-485-12	
		2250	6-485-16B	
		2350	6-485-16	
325	750	2350	6-485-16	
		2350	6-485-16B	
		2250	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
330	761	2250	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16B	
		2600	6-485-16B	
331	764	2600	6-485-16B	
335	773	2250	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16B	
		2250	6-485-16B	
340	784	2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16B	
		2250	6-485-16B	
		2250	6-485-16B	
343	791	2250	6-485-16B	
345	797	2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16B	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 323P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
7 5 0 G P M	350	809	2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
	355	820	2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
	360	832	2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
	365	843	2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
	370	855	2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
	375	866	2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
	376	867	2350	6-485-16B
	380	878	2350	6-485-16
			2600	6-485-16B
	385	889	2350	6-485-16
			2600	6-485-16B
390	900	2600	6-485-16B	
395	911	2600	6-485-16B	
400	923	2600	6-485-16B	
405	934	2600	6-485-16B	
410	946	2600	6-485-16B	
415	957	2600	6-485-16B	
420	969	2600	6-485-16B	
423	976	2600	6-485-16B	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 324P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 0 0 0 G P M	40	92	1760	6-481-11
	45	104	1760	6-481-11
	50	116	1760	5-481-15
	51	118	1760	5-491-14A
	55	127	1760	5-481-15
			1760	5-491-14A
	60	139	1760	5-481-15
			1760	5-491-14A
	65	150	1760	5-481-15
			1760	5-491-14A
	69	159	2600	6-481-11HH
	70	162	1760	5-481-15
			1760	5-491-14A
			2600	6-481-11HH
	74	171	2100	5-491-14A
	75	173	1760	5-481-15
			1760	5-491-14A
			2100	5-491-14A
			2600	6-481-11HH
			2600	6-481-14HH
	77	178	2100	6-481-14HH
	80	185	1470	6-481-18C
			1760	5-481-15
			1760	5-491-14A
			2100	5-491-14A
			2100	6-481-14HH
			2600	6-481-11HH
	85	196	2600	6-481-14HH
			1470	6-481-18C
			1760	5-481-15
			1760	5-491-14A
			1760	5-491-18A
2100			5-491-14A	
88	203	2100	6-481-14HH	
		2600	6-481-11HH	
		2600	6-481-14HH	
		1760	5-491-14A	
		2100	5-491-18A	
		1470	6-481-18C	
90	208	1760	5-481-15	
		1760	5-481-17	
		1760	5-491-18A	
		2100	5-491-14A	
		2100	5-491-18A	
		2100	6-481-14HH	
		2600	6-481-11HH	
2600	6-481-14HH			
91	210	2800	5-481-15A	
92	213	2600	5-481-15A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 325P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 0 0 0 G P M	95	219	1470	6-481-18C
			1760	5-481-17
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-14A
			2100	5-491-18A
			2100	6-481-14HH
			2350	4-491-14C
			2350	5-491-14A
			2600	6-481-11HH
			2600	6-481-14HH
			2600	5-481-15A
	2800	5-481-15A		
	96	221	2350	5-491-14A
	97	224	2100	5-481-15
			3000	5-481-11C
	99	229	3000	6-481-11HH
	100	231	1470	6-481-18C
			1760	5-481-17
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-14A
			2100	5-491-18A
			2100	6-481-14HH
			2100	5-481-15
			2600	5-481-15A
			2800	5-481-15A
			2350	4-491-14C
			2350	5-491-14A
			2350	6-481-14HH
			2600	6-481-11HH
			2600	6-481-14HH
	3000	5-481-11C		
	3000	6-481-11HH		
	105	242	1470	6-481-18C
			1760	5-481-17
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-14A
			2100	5-491-18A
			2100	6-481-14HH
			2100	5-481-15
			2350	4-491-14C
			2350	5-491-14A
			2350	6-481-14HH
2600			5-481-15A	
2600			6-481-11HH	
2600			6-481-14HH	
2800			5-481-15A	
3000			5-481-11C	
3000			6-481-11HH	
3000			6-481-14HH	
108	249	1470	6-481-18C	
		3000	5-481-15A	
109	252	2350	5-491-18A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 326P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1000 GPM	110	254	1760	5-481-17
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-14A
			2100	5-491-18A
			2100	6-481-14HH
			2100	5-481-15
			2350	4-491-14C
			2350	5-491-14A
			2350	5-491-18A
			2350	6-481-14HH
			2600	6-481-14HH
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	5-481-11C
			3000	6-481-11HH
			3000	6-481-14HH
	114	263	2250	5-481-15
			2600	6-481-11HH
	115	265	1760	5-481-17
			1760	5-491-18A
			2100	4-491-14C
			2100	5-491-14A
			2100	5-491-18A
			2100	6-481-14HH
			2100	5-481-15
			2250	5-481-15
			2350	4-491-14C
			2350	5-491-14A
			2350	5-491-18A
			2350	6-481-14HH
			2600	6-481-11HH
			2600	6-481-14HH
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	5-481-11C
	3000	6-481-11HH		
	3000	6-481-14HH		
	120	277	1760	5-481-17
			1760	5-491-18A
2100			4-491-14C	
2100			5-491-14A	
2100			5-491-18A	
2100			6-481-14HH	
2100			5-481-15	
2250			5-481-15	
2350			4-491-14C	
2350			5-491-14A	
2350			5-491-18A	
2350			6-481-14HH	
2600			6-481-14HH	
2600			5-481-15A	
2800			5-481-15A	
3000			5-481-15A	
3000			5-481-11C	
3000			6-481-11HH	
3000	6-481-14HH			
123	284	2100	4-491-14C	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 327P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 0 0 0 G P M	124	286	1760	5-481-17
			1760	5-481-17
	125	289	1760	5-491-18A
			2100	5-491-14A
			2100	5-491-18A
			2100	6-481-14HH
			2100	5-481-15
			2250	5-481-15
			2350	5-481-15
			2350	4-491-14C
			2350	5-491-14A
			2350	5-491-18A
			2350	6-481-14HH
			2600	6-481-14HH
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	5-481-11C
			3000	6-481-11HH
			3000	6-481-14HH
	127	294	2100	6-481-14HH
	130	300	1760	5-491-18A
			1760	6-485-17A
			2100	5-491-18A
			2100	6-481-14HH
			2100	5-481-15
			2250	5-481-15
			2350	5-481-15
			2350	4-491-14C
			2350	5-491-14A
			2350	5-491-18A
			2350	6-481-14HH
			2600	6-481-14HH
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	5-481-11C
			3000	6-481-11HH
			3000	6-481-14HH
	135	312	1760	5-491-18A
			1760	6-485-17A
			2100	5-491-18A
			2100	5-481-15
			2250	5-481-15
2350			5-481-15	
2350			4-491-14C	
2350			5-491-14A	
2350			5-491-18A	
2350			6-481-14HH	
2600			6-481-14HH	
2600			5-481-15A	
2800			5-481-15A	
3000			5-481-15A	
3000			5-481-11C	
3000			6-481-11HH	
3000			6-481-14HH	
136			314	2100

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 328P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 0 0 0 G P M	140	323	1760	6-485-17A
			2100	5-491-18A
			2250	5-481-15
			2350	5-481-15
			2350	4-491-14C
			2350	5-491-14A
			2350	5-491-18A
			2350	6-481-14HH
			2600	6-481-14HH
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	5-481-11C
			3000	6-481-11HH
	3000	6-481-14HH		
	145	335	1760	6-485-17A
			2100	5-491-18A
			2250	5-481-15
			2350	5-481-15
			2350	4-491-14C
			2350	5-491-14A
			2350	5-491-18A
			2350	6-481-14HH
			2600	6-481-14HH
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	5-481-11C
			3000	6-481-11HH
	3000	6-481-14HH		
	146	337	3000	5-481-11C
	150	347	1760	6-485-16
			1760	6-485-17A
			2100	5-491-18A
			2250	5-481-15
			2350	5-481-15
			2350	4-491-14C
			2350	5-491-14A
			2350	5-491-18A
			2350	6-481-14HH
			2600	6-481-14HH
			2600	5-481-15A
			2800	5-481-15A
			3000	5-481-15A
			3000	6-481-11HH
	3000	6-481-14HH		
151	349	2350	5-491-14A	
153	353	2350	4-491-14C	
155	357	1760	6-485-16	
		1760	6-485-17A	
		2100	5-491-18A	
		2250	5-481-15	
		2350	5-481-15	
		2350	5-491-18A	
		2350	6-481-14HH	
		2600	6-481-14HH	
		2600	5-481-15A	
		2800	5-481-15A	
		3000	5-481-15A	
		3000	6-481-14HH	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 329P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven						
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model		
	PSI	TDH				
1 0 0 0 G P M	159	368	2250	5-481-15		
	160	370	1760	6-485-16		
			1760	6-485-17A		
			2100	5-491-18A		
			2350	5-491-18A		
			2350	6-481-14HH		
			2350	5-481-15		
			2600	5-481-15A		
			2600	6-481-14HH		
			2800	5-481-15A		
			3000	5-481-15A		
			3000	6-481-14HH		
	165	381	1760	6-485-16		
			1760	6-485-17A		
			2100	5-491-18A		
			2350	5-481-15		
			2350	5-491-18A		
			2600	6-481-14HH		
			2600	5-481-15A		
			2800	5-481-15A		
			3000	5-481-15A		
			3000	6-481-14HH		
			170	393	1760	6-485-16
	1760	6-485-17A				
	2100	5-491-18A				
	2350	5-481-15				
	2350	5-491-18A				
	2600	6-481-14HH				
	2600	5-481-15A				
	2800	5-481-15A				
	3000	5-481-15A				
	3000	6-481-14HH				
	174	402			2350	5-481-15
	175	404	1760	6-485-16		
			1760	6-485-17A		
			2100	5-491-18A		
			2350	5-491-18A		
			2600	6-481-14HH		
			2600	5-481-15A		
			2800	5-481-15A		
			3000	5-481-15A		
			3000	6-481-14HH		
			180	416	1760	6-485-16
					1760	6-485-17A
	2100	5-491-18A				
	2350	5-491-18A				
	2600	6-481-14HH				
	2600	5-481-15A				
2800	5-481-15A					
3000	5-481-15A					
3000	6-481-14HH					
185	427	1760			6-485-16	
		1760			6-485-17A	
		2100	5-491-18A			
		2350	5-491-18A			
		2600	6-481-14HH			
		2600	5-481-15A			
		2800	5-481-15A			
		3000	5-481-15A			
		3000	6-481-14HH			

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 330P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1000 GPM	190	439	1760	6-485-16
			1760	6-485-17A
			2100	5-491-18A
			2350	5-491-18A
			2600	6-481-14HH
			2800	5-481-15A
			3000	5-481-15A
	3000	6-481-14HH		
	194	448	2350	6-485-16
	195	450	1760	6-485-16
			1760	6-485-17A
			2100	5-491-18A
			2350	5-491-18A
			2600	6-481-14HH
			2800	5-481-15A
			3000	5-481-15A
	3000	6-481-14HH		
	196	453	2250	6-485-16B
	197	455	2100	5-491-18A
	199	460	2100	6-485-16B
			2350	6-485-16
			2600	6-481-14HH
	200	462	1760	6-485-17A
			2100	5-491-18A
			2100	6-485-16B
			2250	6-485-16B
			2350	5-491-18A
			2800	5-481-15A
			3000	5-481-15A
	3000	6-481-14HH		
	203	469	2600	6-481-14HH
	204	471	2350	6-485-16
			2800	6-485-16
205	474	1760	6-485-17A	
		2100	6-485-16B	
		2250	6-485-16B	
		2350	5-491-18A	
		2800	5-481-15A	
		3000	5-481-15A	
		3000	6-481-14HH	
208	480	2600	6-485-16B	
209	483	2350	6-485-16	
210	485	1760	6-485-17A	
		2100	6-485-16B	
		2250	6-485-16B	
		2350	5-491-18A	
		2600	6-485-16B	
		2800	6-485-16	
		2800	5-481-15A	
		3000	5-481-15A	
3000	6-481-14HH			
214	494	2350	6-485-16	
215	497	1760	6-485-17A	
		2100	6-485-16B	
		2250	6-485-16B	
		2350	5-491-18A	
		2600	6-485-16B	
		2800	6-485-16	
		2800	5-481-15A	
		3000	5-481-15A	
3000	6-481-14HH			



AURORA®

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 331P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1000 GPM	217	501	2100	6-485-16
			2350	6-485-16B
	219	505	2100	6-485-16
			2350	6-485-16
	220	508	1760	6-485-17A
			2100	6-485-16B
			2250	6-485-16B
			2350	5-491-18A
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			2800	5-481-15A
			3000	5-481-15A
			3000	6-481-14HH
	225	520	1760	6-485-17A
			2100	6-485-16
			2100	6-485-16B
			2250	6-485-16B
			2350	5-491-18A
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			3000	5-481-15A
	3000	6-481-14HH		
	229	529	2100	6-485-16
	230	531	1760	6-485-17A
			2100	6-485-16B
			2250	6-485-16B
			2350	5-491-18A
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			3000	5-481-15A
			3000	6-481-14HH
	235	543	1760	6-485-17A
			2100	6-485-16
			2100	6-485-16B
			2250	6-485-16B
2350			5-491-18A	
2350			6-485-16	
2350			6-485-16B	
2600			6-485-16B	
2800			6-485-16	
3000			5-481-15A	
3000	6-481-14HH			
239	552	2350	5-491-18A	
240	555	2350	6-485-16	
		1760	6-485-17A	
		2100	6-485-16	
		2100	6-485-16B	
		2250	6-485-16B	
		2350	5-491-18A	
		2350	6-485-16B	
		2600	6-485-16B	
		2800	6-485-16	
		3000	5-481-15A	
3000	6-481-14HH			
242	559	2350	5-491-18A	
244	564	2350	6-485-16	



AURORA®

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 332P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1000 GPM	245	566	2100	6-485-16
			2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			3000	5-481-15A
	3000	6-481-14HH		
	249	575	2350	6-485-16
	250	578	2100	6-485-16
			2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			3000	5-481-15A
	3000	6-481-14HH		
	251	580	2600	6-485-16
	254	587	2100	6-485-16
			2350	6-485-16
	255	588	2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
			2800	6-485-16
			3000	5-481-15A
	3000	6-481-14HH		
	259	598	2350	6-485-16
	260	601	2100	6-485-16
			2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
			2800	6-485-16
3000	6-481-14HH			
264	610	2100	6-485-16	
		2350	6-485-16	
		3000	6-481-14HH	
265	611	2100	6-485-16B	
		2250	6-485-16B	
		2350	6-485-16B	
		2600	6-485-16	
		2600	6-485-16B	
		2800	6-485-16	
		3000	6-481-14HH	
269	621	2100	6-485-16	
		2350	6-485-16	
270	623	2100	6-485-16B	
		2250	6-485-16B	
		2350	6-485-16B	
		2600	6-485-16	
		2600	6-485-16B	
		2800	6-485-16	
274	633	2100	6-485-16	
		2350	6-485-16	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 333P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1000 GPM	275	634	2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
			2800	6-485-16
	279	644	2100	6-485-16
			2100	6-485-16B
			2600	6-485-16
	280	646	2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
	2800	6-485-16		
	283	654	2100	6-485-16
	284	656	2600	6-485-16
	285	657	2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
	289	668	2350	6-485-16
			2600	6-485-16
			2100	6-485-16
	290	670	2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
	294	679	2350	6-485-16
			2600	6-485-16
	295	681	2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
	300	692	2250	6-485-16B
			2350	6-485-16
2350			6-485-16B	
2600			6-485-16	
2600			6-485-16B	
2800			6-485-16	
305	704	2250	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16	
		2600	6-485-16B	
309	714	2800	6-485-16	
		2600	6-485-16	
		2600	6-485-16B	
310	715	2250	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16B	
315	727	2800	6-485-16	
		2250	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16	
319	737	2600	6-485-16B	
		2600	6-485-16B	
		2800	6-485-16	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 334P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 0 0 0 G P M	320	738	2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
	324	748	2600	6-485-16
	325	750	2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
	329	760	2800	6-485-16
	330	761	2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
	332	766	2250	6-485-16B
	335	774	2350	6-485-16
			2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
			2350	6-485-16
	340	785	2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
			2350	6-485-16
			2350	6-485-16B
	345	797	2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
			2350	6-485-16
			2350	6-485-16B
	350	809	2350	6-485-16
			2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
			2350	6-485-16
	355	820	2350	6-485-16B
			2350	6-485-16B
2600			6-485-16	
2600			6-485-16B	
2350			6-485-16	
360	832	2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16	
		2600	6-485-16B	
		2350	6-485-16B	
362	835	2350	6-485-16B	
365	843	2350	6-485-16	
		2600	6-485-16	
		2600	6-485-16B	
370	855	2600	6-485-16	
		2600	6-485-16B	
375	866	2600	6-485-16	
		2600	6-485-16B	
380	878	2600	6-485-16	
		2600	6-485-16B	
384	887	2600	6-485-16	
385	888	2600	6-485-16B	
389	899	2600	6-485-16	
390	900	2600	6-485-16B	
394	910	2600	6-485-16	
395	911	2600	6-485-16B	
399	922	2600	6-485-16	
400	923	2600	6-485-16B	
403	931	2600	6-485-16	
405	934	2600	6-485-16B	
410	946	2600	6-485-16B	
414	955	2600	6-485-16B	



AURORA®

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 335P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 2 5 0 G P M	43	99	1760	8-481-12
	45	104	1760	8-481-12
	50	115	1760	8-481-12
	52	120	1760	8-481-12
	55	127	1760	6-481-15
			1760	6-481-15C
	60	139	1760	6-481-15
			1760	6-481-15C
	65	150	1760	6-481-15
			1760	6-481-15C
	70	162	1760	6-481-15
			1760	6-481-15C
	75	173	1760	5-491-14A
			1760	6-481-15
			1760	6-481-15C
	78	180	1470	6-481-18C
			1470	6-481-18C
	80	185	1760	5-491-14A
			1760	6-481-15
			1760	6-481-15C
	84	194	1760	5-491-14A
			1470	6-481-18C
	85	196	1760	6-481-15
			1760	6-481-15C
			1760	6-481-20
	87	201	2350	6-481-14HH
			1470	6-481-18C
	90	208	1470	8-481-21
			1760	6-481-15
			1760	6-481-15C
			1760	6-481-20
			2350	6-481-14HH
	94	217	1760	6-481-15
			1760	6-481-15C
			2100	5-491-14A
			2100	6-481-14HH
	95	219	1470	6-481-18C
			1470	8-481-21
			1760	6-481-15
			1760	6-481-15C
			1760	6-481-20
			2100	5-491-14A
	96	222	2100	6-481-14HH
2350			6-481-14HH	
2600			6-481-11HH	
1470			6-481-18C	
100	231	1470	8-481-21	
		1760	6-481-18B	
		1760	6-481-20	
		2100	5-491-14A	
		2100	6-481-14HH	
		2350	6-481-14HH	
		2600	6-481-11HH	
102	236	3000	6-481-11HH	
105	243	1470	6-481-18C	
		1470	8-481-21	
		1760	6-481-18B	
		1760	6-481-20	
		2100	5-491-14A	
		2100	6-481-14HH	
105	243	2350	6-481-14HH	
		3000	6-481-11HH	
		3000	6-481-11HH	



AURORA®

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 336P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 2 5 0 G P M	107	247	2250	5-481-15
	109	252	2600	6-481-11HH
	110	254	1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			2100	5-491-14A
			2100	6-481-14HH
			2250	5-481-15
			2350	6-481-14HH
			2600	6-481-11HH
	3000	6-481-11HH		
	113	261	3000	6-481-14HH
	114	263	2350	5-491-14A
	115	265	1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			2100	5-491-14A
			2100	6-481-14HH
			2250	5-481-15
			2350	5-491-14A
			2350	6-481-14HH
	3000	6-481-11HH		
	3000	6-481-14HH		
	119	275	2350	5-481-15
	120	277	1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			2100	5-491-14A
			2100	6-481-14HH
			2250	5-481-15
			2350	5-481-15
			2350	5-491-14A
2350	6-481-14HH			
3000	6-481-11HH			
3000	6-481-14HH			
121	279	2100	5-491-14A	
122	282	2600	6-481-14HH	
124	287	2100	6-481-14HH	
125	289	1470	8-481-21	
		1760	6-481-18B	
		1760	6-481-20	
		2250	5-481-15	
		2350	5-481-15	
		2350	5-491-14A	
		2350	6-481-14HH	
		2600	6-481-14HH	
3000	6-481-11HH			
3000	6-481-14HH			
130	300	1470	8-481-21	
		1760	6-481-18B	
		1760	6-481-20	
		2100	6-481-14HH	
		2250	5-481-15	
		2350	5-481-15	
		2350	5-491-14A	
		2350	6-481-14HH	
2600	6-481-14HH			
3000	6-481-11HH			
3000	6-481-14HH			

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 337P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 2 5 0 G P M	135	312	1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			1760	6-485-16
			2250	5-481-15
			2350	5-481-15
			2350	5-491-14A
			2350	6-481-14HH
			2600	6-481-14HH
			3000	6-481-11HH
	3000	6-481-14HH		
	136	314	1760	8-481-21
	140	323	1470	8-481-21
			1760	6-481-20
			1760	6-485-16
			1760	8-481-21
			2250	5-481-15
			2350	5-481-15
			2350	5-491-14A
			2350	6-481-14HH
			2600	6-481-14HH
			3000	6-481-11HH
	3000	6-481-14HH		
	145	335	1760	6-481-20
			1760	6-485-16
			1760	8-481-21
			2250	5-481-15
			2350	5-481-15
			2350	5-491-14A
			2350	6-481-14HH
			2600	6-481-14HH
			3000	6-481-11HH
			3000	6-481-14HH
	147	339	2350	5-491-14A
	149	344	1760	6-485-16
	150	347	1760	6-481-20
			1760	8-481-21
			2250	5-481-15
			2350	5-481-15
			2350	6-481-14HH
			2600	6-481-14HH
			3000	6-481-11HH
			3000	6-481-14HH
	154	356	1760	6-485-16
			2250	5-481-15
			2350	6-481-14HH
	155	358	1760	6-481-20
1760			8-481-21	
2350			6-481-14HH	
2350			5-481-15	
2600			6-481-14HH	
3000	6-481-14HH			
156	360	2350	6-481-14HH	
159	367	1760	6-485-16	
160	370	1760	6-481-20	
		1760	8-481-21	
		2350	5-481-15	
		2600	6-481-14HH	
		3000	6-481-14HH	
164	379	1760	6-481-20	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 338P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 2 5 0 G P M	165	381	1760	6-485-16
			1760	8-481-21
			2350	5-481-15
			2600	6-481-14HH
			3000	6-481-14HH
	169	390	2350	5-481-15
	170	393	1760	6-485-16
			1760	8-481-21
			2600	6-481-14HH
			3000	6-481-14HH
	175	404	1760	6-485-16
			1760	8-481-21
			2600	6-481-14HH
			3000	6-481-14HH
	179	413	1760	6-485-16
	180	416	1760	8-481-21
			2600	6-481-14HH
			3000	6-481-14HH
	183	423	2350	6-485-16
	185	427	1760	6-485-16
			1760	8-481-21
			2350	6-485-16
			2600	6-481-14HH
			3000	6-481-14HH
	189	437	2350	6-485-16
	190	439	1760	8-481-21
			2600	6-481-14HH
			2600	6-485-16B
			3000	6-481-14HH
	193	446	2800	6-485-16
	195	450	1760	8-481-21
			2350	6-485-16
			2600	6-481-14HH
2600			6-485-16B	
2800			6-485-16	
3000			6-481-14HH	
197	454	2100	6-485-16B	
199	460	2600	6-481-14HH	
200	461	2350	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-481-14HH	
		2600	6-485-16B	
		2800	6-485-16	
		3000	6-481-14HH	
205	474	2100	6-485-16	
		2100	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16B	
		2800	6-485-16	
209	482	3000	6-481-14HH	
210	484	2100	6-485-16	
		2100	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16B	
		2800	6-485-16	
214	494	3000	6-481-14HH	
		2100	6-485-16	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 339P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 2 5 0 G P M	215	496	2100	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			3000	6-481-14HH
	219	506	2100	6-485-16
	220	508	2100	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			3000	6-481-14HH
	224	517	2100	6-485-16
			2350	6-485-16
	225	519	2100	6-485-16B
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			3000	6-481-14HH
	229	529	2100	6-485-16
			2350	6-485-16
	230	531	2100	6-485-16B
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			3000	6-481-14HH
	235	543	2100	6-485-16
			2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
	3000	6-481-14HH		
	239	552	2600	6-485-16
	240	554	2100	6-485-16
			2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16
2350			6-485-16B	
2600			6-485-16B	
2800			6-485-16	
3000	6-481-14HH			
244	564	2600	6-485-16	
245	566	2100	6-485-16	
		2100	6-485-16B	
		2250	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16B	
		2800	6-485-16	
3000	6-481-14HH			
250	578	2100	6-485-16	
		2100	6-485-16B	
		2250	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16	
		2600	6-485-16B	
		2800	6-485-16	
3000	6-481-14HH			

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 340P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 2 5 0 G P M	254	587	2350	6-485-16
			2600	6-485-16
	255	589	2100	6-485-16
			2100	6-485-16B
			2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			3000	6-481-14HH
	259	598	2100	6-485-16
			2100	6-485-16B
			2350	6-485-16
	260	600	2600	6-485-16
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
			3000	6-481-14HH
	264	610	2600	6-485-16
	265	612	2100	6-485-16
			2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
	269	621	2800	6-485-16
			2100	6-485-16
			2350	6-485-16
	270	623	2600	6-485-16
			2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16B
	274	633	2800	6-485-16
			2600	6-485-16
			2100	6-485-16
	275	635	2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
	280	646	2100	6-485-16
			2250	6-485-16B
2350			6-485-16	
2350			6-485-16B	
2600			6-485-16	
285	657	2600	6-485-16B	
		2600	6-485-16B	
		2800	6-485-16	
		2250	6-485-16B	
		2350	6-485-16	
		2350	6-485-16B	
289	668	2350	6-485-16	
290	669	2250	6-485-16B	
		2350	6-485-16B	
		2600	6-485-16	
		2600	6-485-16B	
		2800	6-485-16	

**SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive**

Section 913 Page 341P
Date December 19, 2017
Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 2 5 0 G P M	293	676	2600	6-485-16B
	294	679	2350	6-485-16
	295	681	2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
			2800	6-485-16
	299	691	2600	6-485-16
	300	692	2250	6-485-16B
			2350	6-485-16
			2350	6-485-16B
			2600	6-485-16B
	304	702	2800	6-485-16
			2350	6-485-16
			2600	6-485-16
	305	704	2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
	309	714	2350	6-485-16
	310	715	2250	6-485-16B
			2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
	312	720	2800	6-485-16
			2250	6-485-16B
	314	725	2350	6-485-16
			2600	6-485-16
	315	727	2350	6-485-16B
			2600	6-485-16B
			2800	6-485-16
	317	732	2800	6-485-16
	319	737	2350	6-485-16
	320	738	2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
	324	748	2350	6-485-16
	325	750	2350	6-485-16B
			2600	6-485-16
			2600	6-485-16B
329	760	2600	6-485-16	
330	762	2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16B	
335	774	2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16	
		2600	6-485-16B	
339	783	2600	6-485-16	
340	785	2350	6-485-16	
		2350	6-485-16B	
		2600	6-485-16B	
343	791	2350	6-485-16B	
344	795	2600	6-485-16	
345	797	2350	6-485-16	
		2600	6-485-16B	
349	806	2600	6-485-16	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 342P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 2 5 0 G P M	350	809	2350	6-485-16
			2600	6-485-16B
	354	818	2600	6-485-16
	355	819	2600	6-485-16B
	359	829	2600	6-485-16
	360	831	2600	6-485-16B
	364	841	2600	6-485-16
	365	842	2600	6-485-16B
	369	852	2600	6-485-16
	370	854	2600	6-485-16B
	374	864	2600	6-485-16
	375	865	2600	6-485-16B
	380	878	2600	6-485-16
			2600	6-485-16B
	385	889	2600	6-485-16
			2600	6-485-16B
	390	901	2600	6-485-16
			2600	6-485-16B
	395	911	2600	6-485-16B
	397	916	2600	6-485-16B

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 343P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1500 GPM	40	92	1760	8-481-12
	45	104	1760	8-481-12
	50	115	1760	8-481-12
	51	115	1760	6-481-15
	55	127	1760	6-481-15
	60	139	1760	6-481-15
	65	150	1760	6-481-15
	70	162	1760	6-481-15
	71	164	1760	6-481-15C
	75	173	1470	6-481-18C
			1760	6-481-15
			1760	6-481-15C
	76	175	1760	6-491-14C
	79	183	1760	6-491-14C
	80	185	1470	6-481-18C
			1760	6-481-15
			1760	6-481-15C
			1760	6-481-20
	84	194	1760	6-491-14C
			2100	6-491-14C
	85	196	1470	6-481-18C
			1760	6-481-15
			1760	6-481-15C
			1760	6-481-20
			1760	6-491-14C
	86	199	2100	6-491-14C
			1760	6-491-14C
	88	203	1470	8-481-21
			1900	6-491-14C
			2350	6-491-14C
	89	206	1760	6-481-15
			1900	6-491-14C
90	208	1470	6-481-18C	
		1470	8-481-21	
		1760	6-481-15	
		1760	6-481-15C	
		1760	6-481-20	
		1900	6-491-14C	
		2100	6-491-14C	
2350	6-491-14C			
91	210	1760	6-481-15C	
95	219	1470	6-481-18C	
		1470	8-481-21	
		1760	6-481-18B	
		1760	6-481-20	
		1900	6-491-14C	
		2100	6-491-14A	
		2100	6-491-14C	
2350	6-491-14C			
96	222	2350	6-491-14A	
100	231	1470	6-481-18C	
		1470	8-481-21	
		1760	6-481-18B	
		1760	6-481-20	
		1900	6-491-14C	
		2100	6-491-14A	
		2100	6-491-14C	
2350	6-491-14A			
2350	6-491-14C			
102	236	1470	6-481-18C	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 344P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1500 GPM	105	242	1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			2100	6-491-14A
			2100	6-491-14C
			2350	6-491-14A
	110	254	1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			2100	6-491-14A
			2100	6-491-14C
			2350	6-491-14A
	115	265	1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			2100	6-491-14A
			2100	6-491-14C
			2350	6-491-14A
	119	275	1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			2100	6-491-14A
			2100	6-491-14C
			2350	6-491-14A
	120	277	1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			2100	6-491-14A
			2350	6-491-14A
			2350	6-491-14C
	125	289	1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			2100	6-491-14A
			2100	6-491-14C
			2350	6-491-14A
	126	291	2350	6-491-14C
			3000	6-481-11HH
			1470	8-481-21
			1760	6-481-18B
			1760	6-481-20
			2100	6-491-14A
	130	300	2350	6-491-14A
			2350	6-491-14C
3000			6-481-11HH	
1470			8-481-21	
1760			6-481-18B	
1760			6-481-20	
132	305	2100	6-491-14A	
		1470	8-481-21	
		1760	6-481-20	
		1760	6-481-21	
		2100	6-491-14A	
		2350	6-491-14A	
135	312	2350	6-491-14A	
		2350	6-491-14C	
		3000	6-481-11HH	
		1470	8-481-21	
		1760	6-481-20	
		1760	8-481-21	
140	323	2350	6-491-14A	
		2350	6-491-14C	
		3000	6-481-11HH	
		1470	8-481-21	
		1760	6-481-20	
		1760	8-481-21	
142	328	2600	6-481-14HH	
144	333	3000	6-481-11HH	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 345P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1500 GPM	145	335	1760	6-481-20
			1760	8-481-21
			2350	6-491-14A
			2350	6-491-14C
			2600	6-481-14HH
	150	347	1760	6-481-20
			1760	8-481-21
			2350	6-491-14A
			2350	6-491-14C
			2600	6-481-14HH
	151	349	2350	6-491-14C
	155	358	1760	6-481-20
			1760	8-481-21
			2350	6-491-14A
			2600	6-481-14HH
			3000	6-481-14HH
	160	369	1760	6-481-20
			1760	8-481-21
			2350	6-491-14A
			2600	6-481-14HH
			3000	6-481-14HH
	164	379	2350	6-491-14A
	165	381	1760	6-481-20
			1760	8-481-21
			2600	6-481-14HH
			3000	6-481-14HH
	170	392	1760	8-481-21
			2350	6-485-16
			2600	6-481-14HH
			3000	6-481-14HH
	175	404	1760	8-481-21
			2350	6-485-16
2600			6-481-14HH	
3000			6-481-14HH	
179	413	2350	6-485-16	
180	415	1760	8-481-21	
		2600	6-481-14HH	
		3000	6-481-14HH	
184	425	2350	6-485-16	
185	427	1760	8-481-21	
		2600	6-481-14HH	
		3000	6-481-14HH	
189	437	2350	6-485-16	
190	439	1760	8-481-21	
		2600	6-481-14HH	
		3000	6-481-14HH	
192	444	2100	6-485-16	
194	448	1760	8-481-21	
		2350	6-485-16	
195	450	2100	6-485-16	
		3000	6-481-14HH	
199	460	2100	6-485-16	
		2350	6-485-16	
200	461	3000	6-481-14HH	
204	471	2350	6-485-16	
205	473	2100	6-485-16	
		3000	6-481-14HH	
209	483	2350	6-485-16	
210	485	2100	6-485-16	
		3000	6-481-14HH	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 346P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 5 0 0 G P M	215	497	2100	6-485-16
			2350	6-485-16
			3000	6-481-14HH
	220	508	2100	6-485-16
			2350	6-485-16
			3000	6-481-14HH
	224	517	2600	6-485-16
	225	520	2100	6-485-16
			2350	6-485-16
			3000	6-481-14HH
	229	529	2600	6-485-16
	230	531	2100	6-485-16
			2350	6-485-16
			3000	6-481-14HH
	234	541	2600	6-485-16
	235	543	2100	6-485-16
			2350	6-485-16
			3000	6-481-14HH
	239	552	2350	6-485-16
			2600	6-485-16
	240	554	2100	6-485-16
			3000	6-481-14HH
	244	564	2600	6-485-16
	245	566	2100	6-485-16
			2350	6-485-16
			3000	6-481-14HH
	250	578	2100	6-485-16
			2350	6-485-16
			2600	6-485-16
			3000	6-481-14HH
	255	589	2100	6-485-16
			2350	6-485-16
			2600	6-485-16
			3000	6-481-14HH
	259	598	2600	6-485-16
	260	601	2100	6-485-16
			2350	6-485-16
			3000	6-481-14HH
	262	605	2100	6-485-16
	264	610	2600	6-485-16
265	612	2350	6-485-16	
269	621	2600	6-485-16	
270	624	2350	6-485-16	
		2350	6-485-16	
275	635	2350	6-485-16	
		2600	6-485-16	
280	647	2350	6-485-16	
		2600	6-485-16	
285	658	2350	6-485-16	
		2600	6-485-16	
289	668	2600	6-485-16	
290	670	2350	6-485-16	
294	679	2600	6-485-16	
295	681	2350	6-485-16	
299	691	2600	6-485-16	
300	693	2350	6-485-16	
304	702	2600	6-485-16	
305	705	2350	6-485-16	
310	716	2350	6-485-16	
		2600	6-485-16	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 347P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
1 5 0 0 G P M	315	728	2350	6-485-16
			2600	6-485-16
	319	737	2600	6-485-16
	320	739	2350	6-485-16
	325	751	2350	6-485-16
			2600	6-485-16
	330	762	2350	6-485-16
			2600	6-485-16
	334	772	2600	6-485-16
	335	774	2350	6-485-16
	344	795	2600	6-485-16
	349	806	2600	6-485-16
	354	818	2600	6-485-16
	360	832	2600	6-485-16
	364	841	2600	6-485-16
	370	855	2600	6-485-16
374	864	2600	6-485-16	

**SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive**

Section 913 Page 348P
Date December 19, 2017
Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
2000 GPM	52	120	1470	8-481-17B
	53	122	1760	8-481-17B
	55	127	1470	8-481-17B
			1760	8-481-17B
	60	138	1470	8-481-17B
			1760	8-481-17B
	65	150	1470	8-481-17B
			1760	8-481-17B
	70	161	1470	8-481-17B
			1760	8-481-17B
	75	173	1470	8-481-17B
			1760	8-481-17B
	80	185	1470	8-481-17B
			1760	6-481-15B
			1760	8-481-17B
	82	189	1470	8-481-21
	85	196	1470	8-481-17B
			1470	8-481-21
			1760	6-481-15B
			1760	8-481-17B
	89	206	2100	6-491-14A
			2350	6-491-14A
	90	208	1470	8-481-17B
			1470	8-481-21
			1760	6-481-15B
			1760	6-491-18C
			1760	8-481-17B
			2100	6-491-14A
	2350	6-491-14A		
	93	215	1470	8-481-17B
	94	217	1470	8-481-17B
	95	219	1470	8-481-21
1760			6-481-15B	
1760			6-491-18C	
1760			8-481-17B	
2100			6-491-14A	
2350			6-491-14A	
100	231	1470	8-481-21	
		1760	6-481-15B	
		1760	6-481-18C	
		1760	6-491-18C	
		1760	8-481-17B	
		2100	6-481-15B	
		2100	6-491-14A	
2350	6-491-14A			
105	242	1470	8-481-21	
		1760	6-481-18C	
		1760	6-491-18C	
		1760	6-491-19A	
		1760	8-481-17B	
		2100	6-481-15B	
		2100	6-491-14A	
		2350	6-491-14A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 349P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
2000 GPM	110	254	1470	8-481-21
			1470	8-481-24
			1760	6-481-18C
			1760	6-491-18C
			1760	6-491-19A
			1760	8-481-17B
			2100	6-481-15B
			2100	6-491-14A
			2100	6-491-18C
	2350	6-491-14A		
	115	265	1470	8-481-21
			1470	8-481-24
			1760	6-481-18C
			1760	6-491-18C
			1760	6-491-19A
			1760	8-481-17B
			2100	6-481-15B
			2100	6-491-14A
			2100	6-491-18C
	2350	6-491-14A		
	120	277	1470	8-481-21
			1470	8-481-24
			1760	6-481-18C
			1760	6-491-18C
			1760	6-491-19A
			1760	8-481-17B
			2100	6-481-15B
			2100	6-491-14A
			2100	6-491-18C
	2350	6-491-14A		
	125	289	1470	8-481-21
			1470	8-481-24
			1760	6-481-18C
			1760	6-481-20
			1760	6-491-18C
			1760	6-491-19A
			1760	8-481-17B
			2100	6-481-15B
			2100	6-491-14A
	2100	6-491-18C		
	2350	6-491-14A		
	130	300	1470	8-481-21
			1470	8-481-24
			1760	6-481-18C
1760			6-481-20	
1760			6-491-18C	
1760			6-491-19A	
1760			8-481-21	
2100			6-491-14A	
2100			6-491-18C	
2350	6-491-14A			
132	305	2100	6-491-14A	
		2100	6-491-19A	
134	310	1760	6-491-18C	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 350P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven						
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model		
	PSI	TDH				
2 0 0 0 G P M	135	312	1470	8-481-24		
			1760	6-481-18C		
			1760	6-481-20		
			1760	6-491-19A		
			1760	8-481-21		
			2100	6-491-18C		
			2100	6-491-19A		
	2350	6-491-14A				
	140	323	1470	8-481-24		
			1760	6-481-20		
			1760	6-491-19A		
			1760	8-481-21		
			2100	6-491-18C		
			2100	6-491-19A		
	145	335	1470	8-481-24		
			1760	6-481-20		
			1760	6-491-19A		
			1760	8-481-21		
			2100	6-491-18C		
	149	344	1470	8-481-24		
			1760	6-481-20		
			1760	6-491-19A		
			1760	8-481-21		
			2100	6-491-18C		
	150	347	2100	6-491-19A		
			2100	6-491-19A		
			2350	6-491-14A		
			1760	6-491-19A		
			152	351	1760	6-491-19A
			155	358	1470	8-481-24
	1760	6-491-19A				
	1760	8-481-21				
	2100	6-491-18C				
	2100	6-491-19A				
	157	363	1760	6-491-19A		
	160	370	1470	8-481-24		
1760			8-481-21			
2100			6-491-18C			
2100			6-491-19A			
165	381	1470	8-481-24			
		1760	8-481-21			
		2100	6-491-18C			
		2100	6-491-19A			
170	393	1470	8-481-24			
		1760	8-481-21			
		1760	8-481-24			
		2100	6-491-18C			
		2100	6-491-19A			
173	400	2100	6-491-18C			
175	404	1760	8-481-21			
		1760	8-481-24			
		2100	6-491-19A			
180	415	1760	8-481-21			
		1760	8-481-24			
		2100	6-491-19A			

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 351P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
2 0 0 0 G P M	185	427	1760	8-481-21
			1760	8-481-24
			2100	6-491-19A
	190	439	1760	8-481-21
			1760	8-481-24
			2100	6-491-19A
	195	450	1760	8-481-24
			2100	6-491-19A
	200	462	1760	8-481-24
			2100	6-491-19A
	205	474	1760	8-481-24
			2100	6-491-19A
210	485	1760	8-481-24	
		2100	6-491-19A	
214	494	1760	8-481-24	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 352P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
2500 GPM	50	115	1760	8-491-14A
	55	127	1760	8-491-14A
	60	139	1760	8-491-14A
	63	146	1470	10-481-18D
	65	150	1470	10-481-18
			1470	10-481-18D
			1760	8-491-14A
	70	162	1470	10-481-18
			1470	10-481-18D
			1760	8-491-14A
	72	166	2100	8-491-14A
	75	173	1470	10-481-18
			1470	10-481-18D
			1760	8-481-17B
			1760	8-491-14A
			1760	8-491-18A
	80	185	2100	8-491-14A
			1470	10-481-18
			1470	10-481-18D
			1760	8-481-17B
			1760	8-491-14A
	84	194	1760	8-491-18A
			1760	8-491-14A
			1760	8-491-18A
			2100	8-491-14A
	85	196	1470	10-481-18
			1470	10-481-18D
			1760	8-481-17B
			1760	8-491-18A
	88	203	2350	8-491-14A
	90	208	1470	10-481-18
			1470	10-481-18D
1760			8-481-17B	
1760			8-491-18A	
2100			8-491-14A	
94	217	2350	8-491-14A	
		1470	10-481-18D	
		1470	10-481-18	
		1470	10-481-18D	
95	219	1760	8-481-17B	
		1760	8-491-18A	
		2100	8-491-14A	
		2350	8-491-14A	
		1470	10-481-18	
100	231	1760	8-481-17B	
		1760	8-491-18A	
		2100	8-491-14A	
		2350	8-491-14A	
105	242	1760	8-481-17B	
		1760	8-491-18A	
		2100	8-491-14A	
		2350	8-491-14A	
110	254	1760	8-481-17B	
		1760	8-491-18A	
		2100	8-491-14A	
		2350	8-491-14A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 353P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
2 5 0 0 G P M	115	266	1470	8-481-24
			1760	8-481-17B
			1760	8-491-18A
			2100	8-481-17B
			2100	8-491-14A
			2350	8-491-14A
	119	275	2100	8-491-14A
	120	277	1470	8-481-21A
			1470	8-481-24
			1760	8-481-17B
			1760	8-491-18A
			2100	8-481-17B
	124	286	2350	8-491-14A
			1470	8-481-21A
			1470	8-481-24
	125	289	1760	8-481-17B
			1760	8-491-18A
			2100	8-481-17B
			2100	8-481-17B
			2350	8-491-14A
	128	296	1760	8-481-17B
	130	300	1470	8-481-24
			1760	8-481-17B
			1760	8-481-21A
			1760	8-491-18A
			2100	8-481-17B
			2350	8-491-14A
	135	312	1470	8-481-24
			1760	8-481-21A
			1760	8-491-18A
			2100	8-481-17B
	137	316	2350	8-491-14A
2100			8-491-18A	
2100			8-491-18A	
139	321	1760	8-491-18A	
140	323	1470	8-481-24	
		1760	8-481-21A	
		1760	8-491-18A	
		2100	8-481-17B	
		2100	8-491-18A	
		2350	8-491-14A	
141	326	1760	8-491-18A	
144	333	2350	8-491-14A	
145	335	1470	8-481-24	
		1760	8-481-21A	
		2100	8-481-17B	
		2100	8-491-18A	
150	347	1470	8-481-24	
		1760	8-481-21A	
		2100	8-491-18A	
155	358	1470	8-481-24	
		1760	8-481-21A	
		2100	8-491-18A	
160	370	1470	8-481-24	
		1760	8-481-21A	
		1760	8-481-24	
		2100	8-491-18A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 354P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
2 5 0 0 G P M	165	381	1470	8-481-24
			1760	8-481-21A
			1760	8-481-24
			2100	8-491-18A
	170	392	1760	8-481-21A
			1760	8-481-24
			2100	8-491-18A
	171	395	2100	8-491-18A
	175	404	1760	8-481-21A
			1760	8-481-24
	180	415	1760	8-481-21A
			1760	8-481-24
	185	427	1760	8-481-21A
	187	432	1760	8-481-21A
	188	434	1760	8-481-21A
	190	439	1760	8-481-24
	195	450	1760	8-481-24
200	462	1760	8-481-24	
205	474	1760	8-481-24	
210	485	1760	8-481-24	
214	494	1760	8-481-24	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 355P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
3 0 0 0 G P M	61	141	1470	10-481-18
			1470	10-481-18D
	65	150	1470	10-481-18
			1470	10-481-18D
	70	162	1470	10-481-18
			1470	10-481-18D
	75	173	1470	10-481-18
			1470	10-481-18D
	80	185	1470	10-481-18
			1470	10-481-18D
	85	196	1470	10-481-18
			1470	10-481-18D
	90	208	1470	10-481-18
			1470	10-481-18D
			1760	10-481-18D
	91	210	2100	8-491-14A
	95	219	1470	10-481-18
			1470	10-481-18D
			1760	10-481-18D
			2100	8-491-14A
	98	226	1470	10-481-18
			1760	10-481-18
			1760	10-481-18D
	100	231	1760	10-492-18
			2100	8-491-14A
			2350	10-481-15C
			1760	10-481-18D
	103	238	1760	8-491-18A
			1760	10-481-18D
	105	242	1760	10-492-18
			1760	8-491-18A
			2100	8-491-14A
2350			10-481-15C	
1760			10-481-18	
110	254	1760	10-481-18D	
		1760	10-492-18	
		1760	8-491-18A	
		2100	8-491-14A	
		2350	10-481-15C	
112	259	2100	8-491-14A	
		1760	10-481-18	
115	265	1760	10-481-18D	
		1760	10-492-18	
		1760	8-491-18A	
116	268	2100	8-491-14A	
		1760	10-481-18	
120	277	1760	10-481-18D	
		1760	10-492-18	
		1760	8-491-18A	
125	289	1760	10-481-18	
		1760	10-481-18D	
		1760	10-492-18	
130	300	1760	8-491-18A	
		1760	10-481-18	
		1760	10-481-18D	
		2100	8-491-18A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 356P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
3 0 0 0 G P M	134	310	1760	10-481-18D
			1760	10-481-18
	135	312	1760	10-481-18D
			1760	10-492-18
			2100	8-491-18A
	140	323	1760	10-481-18
			1760	10-492-18
			2100	8-491-18A
	145	334	1760	10-481-18
			1760	10-492-18
			2100	8-491-18A
	150	347	1760	10-492-18
			2100	8-491-18A
	153	353	1760	10-492-18
	155	358	2100	8-491-18A
160	370	2100	8-491-18A	
165	381	2100	8-491-18A	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 357P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
3500 GPM	59	136	1470	10-481-18D
	60	139	1470	10-481-18D
	62	143	1470	10-481-18
	65	150	1470	10-481-18
			1470	10-481-18D
	70	162	1470	10-481-18
			1470	10-481-18D
	75	173	1470	10-481-18
			1470	10-481-18D
	80	185	1470	10-481-18
			1470	10-481-18D
	85	196	1470	10-481-18
			1470	10-481-18D
	88	203	1760	10-481-18D
	90	208	1470	10-481-18
			1470	10-481-18D
			1760	10-481-18D
	92	213	1470	10-481-18D
	94	217	1470	10-481-18D
	95	219	1470	10-481-18
			1760	10-481-18D
	96	222	1470	10-481-18
	100	231	1760	10-481-18
			1760	10-481-18D
			1760	10-492-18
	105	242	1760	10-481-18
			1760	10-481-18D
			1760	10-492-18
	110	254	1760	10-481-18
			1760	10-481-18D
1760			10-492-18	
115	265	1760	10-481-18	
		1760	10-481-18D	
		1760	10-492-18	
120	277	1760	10-481-18	
		1760	10-481-18D	
		1760	10-492-18	
125	289	1760	10-481-18	
		1760	10-481-18D	
		1760	10-492-18	
130	300	1760	10-481-18	
		1760	10-481-18D	
		1760	10-492-18	
134	310	1760	10-481-18D	
135	312	1760	10-481-18	
		1760	10-481-18D	
		1760	10-492-18	
140	323	1760	10-481-18	
		1760	10-492-18	
145	335	1760	10-492-18	
150	347	1760	10-492-18	
151	349	1760	10-492-18	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 358P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
4000 GPM	63	146	1470	10-491-20
	64	148	1470	10-481-18D
	65	150	1470	10-481-18D
			1470	10-491-20
	70	162	1470	10-481-18D
			1470	10-491-20
	75	173	1470	10-481-18D
			1470	10-491-20
	80	185	1470	10-481-18D
			1470	10-491-20
	85	196	1470	10-481-18D
			1470	10-491-20
			1760	10-481-18D
	90	208	1470	10-481-18D
			1470	10-491-20
			1760	10-481-18D
	91	210	1470	10-481-18D
	92	213	1470	10-481-18D
	94	217	1760	10-491-20
	95	219	1470	10-491-20
			1760	10-481-18
			1760	10-481-18D
			1760	10-491-20
	100	231	1470	10-491-20
			1760	10-481-18
			1760	10-481-18D
			1760	10-491-20
	105	242	1470	10-491-20
			1760	10-481-18
			1760	10-481-18D
	110	254	1760	10-491-20
			1760	10-481-18
			1760	10-481-18D
1760			10-491-20	
1900			10-491-20	
115	266	1470	10-491-20	
		1760	10-481-18D	
		1760	10-491-20	
120	277	1900	10-491-20	
		1470	10-491-20	
		1760	10-481-18D	
125	289	1760	10-491-20	
		1760	10-481-18D	
		1760	10-491-20	
		1900	10-491-20	
130	300	1760	10-481-18D	
		1760	10-491-20	
		1900	10-491-20	
132	306	1470	10-491-20	
133	307	1760	10-481-18D	
134	310	1470	10-491-20	
		1760	10-481-18D	
135	312	1760	10-491-20	
		1900	10-491-20	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 359P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
4 0 0 0 G P M	140	323	1760	10-491-20
			1900	10-491-20
	145	335	1760	10-491-20
			1900	10-491-20
	150	347	1760	10-491-20
			1900	10-491-20
	155	358	1760	10-491-20
			1900	10-491-20
	160	370	1760	10-491-20
			1900	10-491-20
	165	381	1760	10-491-20
			1900	10-491-20
	170	393	1760	10-491-20
			1900	10-491-20
	175	404	1760	10-491-20
			1900	10-491-20
	180	416	1760	10-491-20
			1900	10-491-20
	185	427	1760	10-491-20
			1900	10-491-20
190	439	1760	10-491-20	
		1900	10-491-20	
193	447	1760	10-491-20	
195	450	1900	10-491-20	
198	457	1760	10-491-20	
200	462	1900	10-491-20	
205	474	1900	10-491-20	
210	485	1900	10-491-20	
215	497	1900	10-491-20	
220	508	1900	10-491-20	
225	520	1900	10-491-20	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 360P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
4 5 0 0 G P M	80	185	1470	10-491-20
	81	187	1760	10-481-18D
	85	196	1470	10-491-20
			1760	10-481-18D
	90	208	1470	10-491-20
			1760	10-481-18D
			1760	10-491-20
	95	219	1470	10-491-20
			1760	10-481-18D
			1760	10-491-20
	100	231	1470	10-491-20
			1760	10-481-18D
			1760	10-491-20
	105	243	1470	10-491-20
			1760	10-481-18D
			1760	10-491-20
	106	245	1900	10-491-20
	110	254	1470	10-491-20
			1760	10-481-18D
			1760	10-491-20
			1900	10-491-20
	115	266	1470	10-491-20
			1760	10-481-18D
			1760	10-491-20
			1900	10-491-20
	120	277	1470	10-491-20
			1760	10-481-18D
			1760	10-491-20
			1900	10-491-20
	125	289	1470	10-491-20
			1760	10-481-18D
			1760	10-491-20
1900			10-491-20	
130	300	1470	10-491-20	
		1760	10-481-18D	
		1760	10-491-20	
		1900	10-491-20	
132	304	1760	10-481-18D	
135	312	1760	10-491-20	
		1900	10-491-20	
136	314	1470	10-491-20	
140	323	1760	10-491-20	
		1900	10-491-20	
145	335	1760	10-491-20	
		1900	10-491-20	
150	347	1760	10-491-20	
		1900	10-491-20	
155	358	1760	10-491-20	
		1900	10-491-20	
160	370	1760	10-491-20	
		1900	10-491-20	
165	381	1760	10-491-20	
		1900	10-491-20	
170	393	1760	10-491-20	
		1900	10-491-20	
175	404	1760	10-491-20	
		1900	10-491-20	

SELECTION TABLES
Horizontal Split Case
Diesel Engine Drive

Section 913 Page 361P
 Date December 19, 2017
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
4	180	416	1760	10-491-20
			1900	10-491-20
5	185	427	1760	10-491-20
			1900	10-491-20
0	190	439	1760	10-491-20
			1900	10-491-20
0	195	450	1760	10-491-20
			1900	10-491-20
G	200	462	1900	10-491-20
			205	474
P	210	485	1900	10-491-20
			215	497
M	220	508	1900	10-491-20
			223	515